

INTENSIF ASAS

TINGKATAN 3

MATEMATIK

TOPIK
Indices (Indeks) Bahagian 1
Indices (Indeks) Bahagian 2
Standard Form (Nombor Piawai) Bahagian 1
Standard Form (Nombor Piawai) Bahagian 2

Professional Maths Centre™

MATHSCATCH

Dwibahasa

LEBIH DARI **328 SOALAN** TERPILIH BERTARAF PEPERIKSAAN DAN
BERKUALITI TINGGI DAN SANGAT SESUAI UNTUK KEGUNAAN PELAJAR SEBAGAI
LATIHAN ASAS DIRUMAH

Anda Ibu Bapa Atau Guru?



DAPATKAN SEKARANG

- 1 Lebih 50 Live Video **CARA BANTU ANAK** Kuasai Matematik
- 2 Lebih **30 EBOOK SOALAN** Latihan Matematik Tahun 1 – Tingkatan 5
- 3 Koleksi Soalan Peperiksaan **PERCUBAAN** yang lepas-lepas
- 4 Percuma Soalan Peperiksaan **AKHIR TAHUN** Edisi Khas
- 5 **CADANGAN TAJUK** dan Soalan Pilihan menjelang peperiksaan
- 6 **'CASE STUDY'** bagaimana saya bantu ribuan pelajar saya melonjak dari **E NAIK KE A** dan lain-lain
- 7 Lebih dari **30 KAJIAN KES PETUA & STRATEGI** menguasai matematik yang dilakukan oleh MathsCatch Team

Bagi yang belum mendaftar emel. Cadangan saya daftar segera. Kerana lebih banyak info akan saya kirimkan melalui emel. Daftar Percuma disini

kingpagi.com

“Semoga membantu anak-anak anda”



CG RAJAEI

INDICES

BAHAGIAN 1

No	Topic	Mark
1.	3.5.1: Indices	1
2.	3.5.1: Indices	1
3.	3.5.1: Indices	2
4.	3.5.2: Multiplication of Numbers in Index Notation	3
5.	3.5.2: Multiplication of Numbers in Index Notation	3
6.	3.5.2: Multiplication of Numbers in Index Notation	3
7.	3.5.3: Division of Numbers in Index Notation	2
8.	3.5.3: Division of Numbers in Index Notation	3
9.	3.5.3: Division of Numbers in Index Notation	3
10.	3.5.4: Power of Numbers and Algebraic Terms in Index Notation	3
11.	3.5.4: Power of Numbers and Algebraic Terms in Index Notation	3
12.	3.5.5: Negative Indices	1
13.	3.5.5: Negative Indices	3
14.	3.5.5: Negative Indices	3
15.	3.5.6: Fractional Indices	3
16.	3.5.6: Fractional Indices	3
17.	3.5.6: Fractional Indices	3
18.	3.5.7: Computations Involving Laws of Indices	3
19.	3.5.7: Computations Involving Laws of Indices	3
20.	3.5.6: Fractional Indices	3
21.	3.5.7: Computations Involving Laws of Indices	3
22.	3.5.7: Computations Involving Laws of Indices	3
23.	3.5.7: Computations Involving Laws of Indices	4
24.	3.5.7: Computations Involving Laws of Indices	4
25.	3.5.7: Computations Involving Laws of Indices	4
26.	3.5.7: Computations Involving Laws of Indices	3
27.	3.5.7: Computations Involving Laws of Indices	4
28.	3.5.7: Computations Involving Laws of Indices	4
29.	3.5.7: Computations Involving Laws of Indices	3
30.	3.5.7: Computations Involving Laws of Indices	4
31.	3.5.7: Computations Involving Laws of Indices	4
32.	3.5.7: Computations Involving Laws of Indices	3
33.	3.5.7: Computations Involving Laws of Indices	3
34.	3.5.7: Computations Involving Laws of Indices	4
35.	3.5.7: Computations Involving Laws of Indices	4
	TOTAL	106

1. Express 9^9 as the repeated multiplication of a number.
Nyatakan 9^9 sebagai darab berulang suatu nombor.

[1 mark/1 markah]

Answer/Jawapan:

2. Express 9^7 as the repeated multiplication of a number.
Nyatakan 9^7 sebagai darab berulang suatu nombor.

[1 mark/1 markah]

Answer/Jawapan:

3. Express $\frac{1}{1\ 024}$ in index notation.
Nyatakan $\frac{1}{1\ 024}$ dalam tatatanda indeks.

[2 marks/2 markah]

Answer/Jawapan:

4. Given that $8 \times 8^{n+1} = 8^6 \times 8^3$, find the value of n .
Diberi $8 \times 8^{n+1} = 8^6 \times 8^3$, cari nilai n .

[3 marks/3 markah]

Answer/Jawapan:

5. Simplify $8c^3 \times 6c \times c^8 \times 2c^2$.
Permudahkan $8c^3 \times 6c \times c^8 \times 2c^2$.

[3 marks/3 markah]

Answer/Jawapan:

6. Express $x^3 \times 7y \times 5x^7 \times 2y^2$ in its simplest form.
Nyatakan $x^3 \times 7y \times 5x^7 \times 2y^2$ dalam bentuk termudah.

[3 marks/3 markah]

Answer/Jawapan:

7. Calculate $3^5 \div 3^2$.
Hitung $3^5 \div 3^2$.

[2 marks/2 markah]

Answer/Jawapan:

8. Simplify $\frac{10d^{18}}{5d^8}$.
Permudahkan $\frac{10d^{18}}{5d^8}$.

[3 marks/3 markah]

Answer/Jawapan:

9. Simplify $8m^{18}n^{16} \div 20m^2n^4$.
Permudahkan $8m^{18}n^{16} \div 20m^2n^4$.

[3 marks/3 markah]

Answer/Jawapan:

10. Simplify $(5s^3t)^5 \div 5s^4t$.
Permudahkan $(5s^3t)^5 \div 5s^4t$.

[3 marks/3 markah]

Answer/Jawapan:

11. Write $(8^5)^4 \times (8^3)^3 \div (8^3)^5$ in the simplest form.
Tulis $(8^5)^4 \times (8^3)^3 \div (8^3)^5$ dalam bentuk termudah.

[3 marks/3 markah]

Answer/Jawapan:

12. Find the value of $\left(\frac{1}{5}\right)^{-2}$.

Cari nilai $\left(\frac{1}{5}\right)^{-2}$.

[1 mark/1 markah]

Answer/Jawapan:

13. Simplify $\frac{8s^{-1}t^3}{2s^2t^{-1}}$.

Permudahkan $\frac{8s^{-1}t^3}{2s^2t^{-1}}$.

[3 marks/3 markah]

Answer/Jawapan:

14. Calculate $4^5 \times (5^9)^4 \times 4^{-6} \times (5^{-5})^8$.
Hitung $4^5 \times (5^9)^4 \times 4^{-6} \times (5^{-5})^8$.

[3 marks/3 markah]

Answer/Jawapan:

15. Calculate $16^{\frac{1}{2}} \times 32^{\frac{3}{5}}$.

Hitung $16^{\frac{1}{2}} \times 32^{\frac{3}{5}}$.

[3 marks/3 markah]

Answer/Jawapan:

16. Simplify $(27x^9y^{12})^{\frac{2}{3}} \times (4x^9y^9)$.

Permudahkan $(27x^9y^{12})^{\frac{2}{3}} \times (4x^9y^9)$.

[3 marks/3 markah]

Answer/Jawapan:

17. Evaluate $\frac{4^{\frac{1}{3}} \times 1024^{\frac{1}{3}}}{16^2}$.

Nilaikan $\frac{4^{\frac{1}{3}} \times 1024^{\frac{1}{3}}}{16^2}$.

Answer/Jawapan: [3 marks/3 markah]

19. Calculate $\frac{1024^{\frac{1}{5}}}{4^{-5} \times 16^2}$.

Hitung $\frac{1024^{\frac{1}{5}}}{4^{-5} \times 16^2}$.

Answer/Jawapan: [3 marks/3 markah]

18. Find the value of $3^{\frac{1}{5}} \times 5^{\frac{4}{5}} \times 3^{\frac{4}{5}} \times 5^{-\frac{4}{5}}$.

Cari nilai $3^{\frac{1}{5}} \times 5^{\frac{4}{5}} \times 3^{\frac{4}{5}} \times 5^{-\frac{4}{5}}$.

Answer/Jawapan: [3 marks/3 markah]

20. Evaluate $\frac{5^{\frac{1}{3}} \times 25^{\frac{1}{3}}}{625^4}$.

Evaluate $\frac{5^{\frac{1}{3}} \times 25^{\frac{1}{3}}}{625^4}$.

Nilaikan $\frac{5^{\frac{1}{3}} \times 25^{\frac{1}{3}}}{625^4}$.

Answer/Jawapan: [3 marks/3 markah]

21. Find the value of $4^{\frac{3}{2}} \times 2^{\frac{1}{3}} \times 4^{\frac{1}{2}} \times 2^{-\frac{1}{3}}$.

Cari nilai $4^{\frac{3}{2}} \times 2^{\frac{1}{3}} \times 4^{\frac{1}{2}} \times 2^{-\frac{1}{3}}$.

Answer/Jawapan: [3 marks/3 markah]

22. Calculate $\frac{27^{\frac{2}{3}}}{3^{-2} \times 243^{\frac{5}{3}}}$.

Hitung $\frac{27^{\frac{2}{3}}}{3^{-2} \times 243^{\frac{5}{3}}}$.

Answer/Jawapan: [3 marks/3 markah]

23. Simplify each of the following:
Permudahkan setiap yang berikut:

(a) $\left(t^{\frac{3}{4}}\right)^{16}$

(b) $y^4 \times (x^5y^5)^4$

Answer/Jawapan: [4 marks/4 markah]

24. Simplify each of the following:
Permudahkan setiap yang berikut:

(a) $\left(s^{\frac{3}{4}}\right)^8$

(b) $n^5 \times (m^4n^3)^5$

Answer/Jawapan: [4 marks/4 markah]

25. Simplify each of the following:
Permudahkan setiap yang berikut:

(a) $\left(q^{\frac{3}{5}}\right)^{20}$

(b) $y^4 \times (x^3y^2)^3$

[4 marks/4 markah]

Answer/Jawapan:

27. Simplify each of the following:
Permudahkan setiap yang berikut:

(a) $(n^3)^{-4}$

(b) $\frac{\frac{1}{n^5} \times \frac{4}{n^5}}{n^3}$

[4 marks/4 markah]

Answer/Jawapan:

26. Evaluate:
Nilaikan:

$9^2 \times 3^{-1} \times 9^{\frac{1}{2}}$

[3 marks/3 markah]

Answer/Jawapan:

28. Simplify each of the following:
Permudahkan setiap yang berikut:

(a) $(n^4)^2$

(b) $\frac{1}{q^2} \times \frac{1}{q^2}$

$$\frac{\quad}{q^3}$$

[4 marks/4 markah]

Answer/Jawapan:

29. Evaluate:

Nilaikan:
 $5^{\frac{3}{2}} \times 15^{\frac{3}{2}} \div 3^{\frac{1}{2}}$

[3 marks/3 markah]

Answer/Jawapan:

30. (a) Simplify:
Permudahkan:

$$x^{-3} \times x^{-4}$$

(b) Find the value of:
Cari nilai bagi:

$$\frac{243^3}{3^{-4} \times 3^2}$$

[4 marks/4 markah]

Answer/Jawapan:

31. (a) Simplify:
Permudahkan:

$$q^{-2} \times q^{-5}$$

(b) Find the value of:
Cari nilai bagi:

$$\frac{4^2}{2^{-5} \times 2^{-1}}$$

[4 marks/4 markah]

Answer/Jawapan:

32.

Find the value of $\left(\frac{1}{6}\right)^2 \div \sqrt[3]{\frac{1}{8}}$.

Cari nilai bagi $\left(\frac{1}{6}\right)^2 \div \sqrt[3]{\frac{1}{8}}$.

[3 marks/3 markah]

Answer/Jawapan:

33.

Find the value of $\left(\frac{1}{4}\right)^2 \div \sqrt[3]{\frac{1}{64}}$.

Cari nilai bagi $\left(\frac{1}{4}\right)^2 \div \sqrt[3]{\frac{1}{64}}$.

[3 marks/3 markah]

Answer/Jawapan:

34. (i) Simplify:

Permudahkan:

$$\left(m^{\frac{1}{2}} n^{\frac{1}{4}}\right)^2 \times m^5 n^{\frac{1}{3}}$$

(ii) Find the value of:

Cari nilai bagi:

$$\left(\frac{1}{125}\right)^{\frac{3}{5}}$$

[4 marks/4 markah]

Answer/Jawapan:

35. (i) Simplify:

Permudahkan:

$$\left(s^{\frac{1}{4}} t^{\frac{1}{2}}\right)^4 \times s^3 t^{\frac{1}{3}}$$

(ii) Find the value of:

Cari nilai bagi:

$$\left(\frac{1}{8}\right)^{\frac{1}{2}}$$

[4 marks/4 markah]

Answer/Jawapan:

BAHAGIAN 2

1 $4^{-\frac{1}{2}} =$

A $-\frac{1}{4^2}$ C $-\frac{1}{4^2}$

B $\frac{1}{4^2}$ D $\frac{1}{4^2}$

2 $5^{-\frac{1}{3}} =$

A $-\frac{1}{5^3}$ C $-\frac{1}{5^3}$

B $\frac{1}{5^3}$ D $\frac{1}{5^3}$

3 Simplify $\frac{(x^3y^{-2})^{-2}}{x^5y^3}$.

Ringkaskan $\frac{(x^3y^{-2})^{-2}}{x^5y^3}$.

A $x^{11}y^{-1}$ C $x^{-11}y$
B $x^{-1}y^7$ D xy^{-7}

4 $\frac{9}{5t^3}$ can be written as

$\frac{9}{5t^3}$ boleh ditulis sebagai

A $45t^3$ C $\frac{9}{5}t^3$
B $45t^{-3}$ D $\frac{9}{5}t^{-3}$

5 $\frac{3}{5x^3}$ can be written as

$\frac{3}{5x^3}$ boleh ditulis sebagai

A $\frac{3}{5}x^{-3}$ C $15x^{-3}$
B $\frac{3}{5}x^3$ D $15x^3$

6 Given that $19^5 = \sqrt[m]{19^n}$, find the value of m and of n .

Diberi $19^5 = \sqrt[m]{19^n}$, carikan nilai m dan nilai n .

A $m = 5, n = \frac{1}{2}$ C $m = 5, n = 2,$

B $m = 2, n = \frac{1}{5}$ D $m = 2, n = 5,$

7 Given that $12^2 = \sqrt[p]{12^q}$, find the value of p and of

q .
Diberi $12^2 = \sqrt[p]{12^q}$, carikan nilai p dan nilai q .

A $p = 3, q = \frac{1}{2}$ C $p = 3, q = 2,$

B $p = 2, q = \frac{1}{3}$ D $p = 2, q = 3,$

8 $\sqrt{\left(\frac{1}{2}\right)^{-5}} =$

A $2^{-\frac{5}{2}}$ C $2^{\frac{5}{2}}$

B $2^{-\frac{2}{5}}$ D $2^{\frac{2}{5}}$

9 $\sqrt[3]{2^4} =$

A $\left(\frac{4}{2}\right)^3$ C $\left(\frac{1}{2}\right)^{\frac{3}{4}}$

B $2^{\frac{4}{3}}$ D $\left(\frac{1}{2}\right)^{\frac{4}{3}}$

10 $243^{\frac{3}{5}} =$

A 27 C $\frac{1}{3}$

B 3 D $\frac{1}{27}$

11 $16^{\frac{3}{4}} =$

A 8 C $\frac{1}{2}$

B 2 D $\frac{1}{8}$

12 Given that $\frac{1}{s^t} = 2^{-4}$, find the value of s and of t .

Diberi $\frac{1}{s^t} = 2^{-4}$, carikan nilai s dan nilai t .

A $s = 2, t = 4$ C $s = 2, t = -4$

B $s = 4, t = 2$ D $s = -4, t = 2$

13 Given that $\frac{1}{p^q} = 3^{-5}$, find the value of p and of q .

Diberi $\frac{1}{p^q} = 3^{-5}$, carikan nilai p dan nilai q .

- A $p = 3, q = 5$ C $p = 3, q = -5$
 B $p = 5, q = 3$ D $p = -5, q = 3$

14 $\left(\frac{1}{3}\right)^{-2} =$

- A 3 C $\frac{1}{3}$
 B 9 D $\frac{1}{9}$

15 Simplify $(m^2)^3 \div m^2$.
 Ringkaskan $(m^2)^3 \div m^2$.

- A m^{-3} C m^5
 B m^4 D m^8

16 Given that $2^{2p} = \frac{4}{2^{3p}}$, find the value of p .

Diberi $2^{2p} = \frac{4}{2^{3p}}$, carikan nilai p .

- A -1 C $\frac{1}{2}$
 B -2 D $-\frac{1}{2}$

17 Given that $3^s = \frac{81}{3^{2s}}$, find the value of s .

Diberi $3^s = \frac{81}{3^{2s}}$, carikan nilai s .

- A $-\frac{1}{4}$ C -1
 B -4 D 1

18 $(4^4)^{-12} \div (2^{-6})^3 =$

- A 16 C 32
 B $\frac{1}{16}$ D $\frac{1}{32}$

19 Simplify $(p^{15}q^{12})^3 \times p^{-3}q^{-5}$.

Ringkaskan $(p^{15}q^{12})^3 \times p^{-3}q^{-5}$.

- A p^2q^{-1} C $p^{12}q^7$
 B $p^{18}q^9$ D p^2q^7

20 $(3^3)^{-5} \times (3^4)^4 =$

A $3^{-\frac{3}{2}}$ C $3^{-\frac{2}{3}}$

B 3^2 D 3^3

21 $(3^5)^{-3} \times (3^4)^5 =$

- A 1 C 3^{-1}
 B -1 D 3

22 $(3^3)^{-4} \times (3^4)^{\frac{2}{5}} =$

A $3^{-\frac{15}{16}}$ C $3^{-\frac{16}{15}}$

B $3^{\frac{15}{16}}$ D $3^{\frac{16}{15}}$

23 $\frac{\frac{1}{x^3} \times \sqrt{x}}{x^{\frac{5}{2}}} =$

A $x^{\frac{4}{15}}$ C $x^{\frac{13}{30}}$

B $x^{\frac{7}{30}}$ D $x^{\frac{43}{30}}$

24 $\frac{4p^3}{3q^3} =$

A $4p^{-3}(3q^3)$ C $\frac{4p^3q^{-3}}{3}$

B $4p^3(3q^{-3})$ D $\frac{(4p^3q)^{-3}}{3}$

25 $(32s^5)^{\frac{1}{5}}$

Simplify $\frac{1}{4t} \times s^5t^4$.

$(32s^5)^{\frac{1}{5}}$

Ringkaskan $\frac{1}{4t} \times s^5t^4$.

A $\frac{1}{2}s^6t^5$ C $8s^6t^5$

B $\frac{1}{2}s^6t^3$ D $8s^6t^3$

26

$$(4m^3 \times 5n^2)^{\frac{1}{2}}$$

Simplify $\frac{\quad}{3m^3}$.

$$(4m^3 \times 5n^2)^{\frac{1}{2}}$$

Ringkaskan $\frac{\quad}{3m^3}$.

A $\frac{400}{3} m^3 n$ C $\frac{20}{3} mn$

B $\frac{400}{3} mn$ D $\frac{20}{3} n$

27

If $n = 32^{\frac{3}{5}} \times 81^{-\frac{3}{4}}$, then the value of n is

Jika $n = 32^{\frac{3}{5}} \times 81^{-\frac{3}{4}}$, maka nilai n ialah

A $\frac{27}{4}$ C $\frac{4}{27}$

B $\frac{27}{8}$ D $\frac{8}{27}$

28

If $y = 1024^{-\frac{1}{5}} \times 81^{\frac{3}{4}}$, then the value of y is

Jika $y = 1024^{-\frac{1}{5}} \times 81^{\frac{3}{4}}$, maka nilai y ialah

A $\frac{8}{27}$ C $\frac{27}{8}$

B $\frac{4}{27}$ D $\frac{27}{4}$

29

$$\frac{(5^{20})^5 \times 5^{-4}}{5^4 \times 5^{-4}} =$$

A 5^9 C 5^{-9}
B 5^8 D 5^{-8}

30

$$\frac{(5^{20})^5 \times 5^{-4}}{5^4 \times 5^{-5}} =$$

A 5^3 C 5^{-3}
B 5^5 D 5^{-5}

31

$$\frac{(3125x^{-25})^5}{x^{-3} \times x^5} =$$

A $\frac{1}{125x^{-17}}$ C $125x^{-17}$
B $125x^{17}$ D $\frac{1}{125x^{17}}$

32

$$\frac{(3125n^{-25})^5}{n^{-4} \times n^2} =$$

A $\frac{1}{5n^{-3}}$ C $5n^{-3}$

B $5n^3$ D $\frac{1}{5n^3}$

33

Given that $p^2 = \frac{p^4 \times p^6}{q}$, then find the value of q .

Diberi $p^2 = \frac{p^4 \times p^6}{q}$, maka cari nilai q .

A 9 C 3
B 6 D 2

34

Given that $p^3 = \frac{p^4 \times p^9}{q}$, then find the value of q .

Diberi $p^3 = \frac{p^4 \times p^9}{q}$, maka cari nilai q .

A 6 C 10
B 9 D 15

35

$$\frac{(7^5)^{25} \times (7^{-1})^2}{(7^3)^{-1} \times 49^4} =$$

A 7^{-2} C 7^{-8}
B 7^8 D 7^2

36

$$(2^4 \times 4)^2 \div (h^2)^2 =$$

A $4h$ C $\frac{4}{h}$
B $8h$ D $\frac{8}{h}$

37

$$\frac{(3^{-8})^4 \times 9^2}{9^2} =$$

A 3^{-2} C 3^0
B 3 D 3^2

38
$$\frac{(3^{-25})^{\frac{2}{5}} \times 243^{\frac{1}{5}}}{9^2} =$$

- A 3^{-10} C 3^{-8}
 B 3^8 D 3^{10}

39
$$\frac{(8p^{12}q^{15})^{\frac{1}{3}}}{(p^5q)^3} =$$

- A $\frac{2}{p^{11}q^2}$ C $\frac{2q^2}{p^{11}}$
 B $2p^{11}q^2$ D $\frac{2p^{11}}{q^2}$

40
$$\frac{(4m^2n^{10})^{\frac{1}{2}}}{(m^5n)^4} =$$

- A $\frac{2}{m^{19}n}$ C $\frac{2n}{m^{19}}$
 B $2m^{19}n$ D $\frac{2m^{19}}{n}$

STANDART FORM

BAHAGIAN 1

- 1** Round off 0.3184 correct to one significant figure.
Bundarkan 0.3184 betul kepada satu angka bererti.

Answer:
Jawapan:

- 2** Calculate the value of $702.9 - 4.779 + 867.5$ and round off your answer correct to six significant figures.
Hitung nilai $702.9 - 4.779 + 867.5$ dan bundarkan jawapan anda betul kepada enam angka bererti.

Answer:
Jawapan:

- 3** Calculate the value of $71.78 + 662 - 0.0835$ and round off your answer correct to five significant figures.
Hitung nilai $71.78 + 662 - 0.0835$ dan bundarkan jawapan anda betul kepada lima angka bererti.

Answer:
Jawapan:

- 4** Calculate the value of $85.7 - 59.69 - 0.5185$ and round off your answer correct to three significant figures.
Hitung nilai $85.7 - 59.69 - 0.5185$ dan bundarkan jawapan anda betul kepada tiga angka bererti.

Answer:
Jawapan:

5 Convert 7.447×10^3 to a single number.
Tukar 7.447×10^3 kepada satu nombor tunggal.

Answer:
Jawapan:

6 State 55.091 in standard form.
Nyatakan 55.091 dalam bentuk piawai.

Answer:
Jawapan:

7 Calculate the value of $874.3 + 9.884 + 8.002$ and round off your answer correct to one significant figure.
Hitung nilai $874.3 + 9.884 + 8.002$ dan bundarkan jawapan anda betul kepada satu angka bererti.

Answer:
Jawapan:

8 State 40.501×10^{11} in standard form.
Nyatakan 40.501×10^{11} dalam bentuk piawai.

Answer:
Jawapan:

9 Calculate the value of $54.4 \times 43.7 \times 0.78$ and round off your answer correct to one significant figure.
Hitung nilai $54.4 \times 43.7 \times 0.78$ dan bundarkan jawapan anda betul kepada satu angka bererti.

Answer:
Jawapan:

10 Calculate the value of $1.176 \times 6.797 \div 0.00294$ and round off your answer correct to two significant figures.
Hitung nilai $1.176 \times 6.797 \div 0.00294$ dan bundarkan jawapan anda betul kepada dua angka bererti.

Answer:
Jawapan:

- 11** Calculate the value of $7.99 \times 10^{-15} - 7.9 \times 10^{-16}$ and express its answer in standard form.

Hitung nilai $7.99 \times 10^{-15} - 7.9 \times 10^{-16}$ dan nyatakan jawapan dalam bentuk piawai.

Answer:

Jawapan:

- 12** Calculate the value of $(7.4 \times 10^{-13}) \times (8.6 \times 10^{-11})$ and express its answer in standard form.

Hitung nilai $(7.4 \times 10^{-13}) \times (8.6 \times 10^{-11})$ dan nyatakan jawapan dalam bentuk piawai.

Answer:

Jawapan:

- 13** Calculate the value of $150.1 \div 475 \div 987.5$ and round off your answer correct to one significant figure.

Hitung nilai $150.1 \div 475 \div 987.5$ dan bundarkan jawapan anda betul kepada satu angka bererti.

Answer:

Jawapan:

- 14** Calculate the value of $0.8828 \div 0.061 \times 585.6$ and round off your answer correct to five significant figures.

Hitung nilai $0.8828 \div 0.061 \times 585.6$ dan bundarkan jawapan anda betul kepada lima angka bererti.

Answer:

Jawapan:

- 15** Calculate the value of $9.68 \times 10^{-13} + 4.7 \times 10^{-14}$ and express its answer in standard form.

Hitung nilai $9.68 \times 10^{-13} + 4.7 \times 10^{-14}$ dan nyatakan jawapan dalam bentuk piawai.

Answer:

Jawapan:

- 16** Calculate the value of $\frac{6.12 \times 10^{-3}}{1.8 \times 10^{-9}}$ and express its answer in standard form.

Hitung nilai $\frac{6.12 \times 10^{-3}}{1.8 \times 10^{-9}}$ dan nyatakan jawapan dalam bentuk piawai.

Answer:

Jawapan:

BAHAGIAN 2

- 1 Round off 0.0046156 correct to three significant figures.
Bundarkan 0.0046156 betul kepada tiga angka bererti.
A 0.000462 C 0.00462
B 0.00461 D 0.004620
- 2 Round off 4.3488 correct to one significant figure.
Bundarkan 4.3488 betul kepada satu angka bererti.
A 5.0 C 4.0
B 5 D 4
- 3 Round off 8.235 correct to three significant figures.
Bundarkan 8.235 betul kepada tiga angka bererti.
A 8.23 C 8.24
B 8.230 D 8.240
- 4 Round off 94 438 correct to four significant figures.
Bundarkan 94 438 betul kepada empat angka bererti.
A 94 440 C 9 444
B 94 430 D 9 443
- 5 Round off 0.8763 correct to one significant figure.
Bundarkan 0.8763 betul kepada satu angka bererti.
A 0.8 C 0.9
B 0.80 D 0.90
- 6 Round off 0.01557 correct to three significant figures.
Bundarkan 0.01557 betul kepada tiga angka bererti.
A 0.0155 C 0.016
B 0.0156 D 0.02
- 7 The value of $96.67 - 3.291 - 85.3952$ correct to three significant figures is
Nilai bagi $96.67 - 3.291 - 85.3952$ betul kepada tiga angka bererti ialah
A 7.99 C 7.983
B 7.984 D 7.98

- 8 The value of $6.77 \div 59.9 \times 8.69$ correct to four significant figures is
Nilai bagi $6.77 \div 59.9 \times 8.69$ betul kepada empat angka bererti ialah
A 0.9821 C 0.98216
B 0.98215 D 0.9822
- 9 The value of $89.31 \div 86.32 \div 29.63$ correct to three significant figures is
Nilai bagi $89.31 \div 86.32 \div 29.63$ betul kepada tiga angka bererti ialah
A 0.0349 C 0.03492
B 0.03491 D 0.0350
- 10 The value of $9.917 + 0.0299 + 0.1251$ correct to two significant figures is
Nilai bagi $9.917 + 0.0299 + 0.1251$ betul kepada dua angka bererti ialah
A 11 C 10.0
B 10.1 D 10
- 11 Which number is rounded off correctly to two significant figures?
Nombor yang manakah dibundarkan betul kepada dua angka bererti?

Number <i>Nombor</i>	Rounded off correctly to two significant figures <i>Dibundarkan betul kepada dua angka bererti</i>
A 3 415	3 400
B 8 672	8 670
C 0.0401	0.0401
D 0.0169	0.01690

- 12 The value of $2.03 \times 5.45 \times 0.2$ correct to two significant figures is
Nilai bagi $2.03 \times 5.45 \times 0.2$ betul kepada dua angka bererti ialah
A 2.3 C 2.21
B 2.22 D 2.2
- 13 All the following numbers have four significant figures **except**
Semua nombor berikut mempunyai empat angka bererti kecuali
A 0.02750 C 80.000
B 0.05982 D 1.663

- 14 Hamdan has a piece of rectangular land with measurements of length 53.56 m and width 54.85 m. Find the area, in m^3 , of the land correct to four significant figures.
Hamdan mempunyai sekeping tanah bersegi empat tepat dengan panjangnya 53.56 m dan lebarnya 54.85 m. Cari luas, dalam m^3 , tanah itu betul kepada empat angka bererti.
A 2 937.8 C 216.8
B 2 938 D 216.82
- 15 The value of $81.17 \times 1.25 \div 9.91$ correct to two significant figures is
Nilai bagi $81.17 \times 1.25 \div 9.91$ betul kepada dua angka bererti ialah
A 10 C 10.3
B 10.2 D 11
- 16 Find the value of $(10 - 0.312) \div 20$ and round off the answer correct to two significant figures.
Cari nilai $(10 - 0.312) \div 20$ dan bundarkan jawapan itu betul kepada dua angka bererti.
A 0.5 C 0.484
B 0.49 D 0.48
- 17 The value of $9.15 + 3.9944 - 6.27$ correct to four significant figures is
Nilai bagi $9.15 + 3.9944 - 6.27$ betul kepada empat angka bererti ialah
A 6.875 C 6.8744
B 6.8745 D 6.874
- 18 The value of $9.59 - 4.2867 + 3.266$ correct to three significant figures is
Nilai bagi $9.59 - 4.2867 + 3.266$ betul kepada tiga angka bererti ialah
A 8.570 C 8.569
B 8.57 D 8.56
- 19 $\frac{0.008}{4\,000\,000} =$
A 2×10^{-10} C 2×10^{10}
B 2×10^{-9} D 2×10^9
- 20 $10.8 \times 10^4 =$
A 0.000108 C 108 000
B 0.00108 D 1 080 000
- 21 It is given that the height of a stack of paper is 420 mm and the thickness of a sheet of paper is approximately 8×10^{-3} mm. Estimate the number of sheets of papers in the stack.
Diberi bahawa ketinggian satu himpunan kertas ialah 420 mm dan ketebalan sehela kertas ini dianggarkan 8×10^{-3} mm. Anggarkan bilangan helaian kertas dalam himpunan itu.
A 5.25×10^2 C 5.25×10^4
B 5.25×10^3 D 5.25×10^5
- 22 A factory melted 10 solid metal cylinders each with a radius of 20 cm and a height of 700 cm to make 20 identical solid spheres. Find the volume, in cm^3 , of each solid sphere.
Sebuah kilang meleburkan 10 buah pepejal logam berbentuk silinder, dengan setiap satu berjejari 20 cm dan tinggi 700 cm untuk membentuk 20 buah pepejal sfera yang serupa.
Cari isi padu, dalam cm^3 , setiap pepejal sfera itu.
A 7.00×10^3 C 2.20×10^4
B 4.40×10^5 D 1.40×10^5
- 23 Express 956 000 in standard form.
Nyatakan 956 000 dalam bentuk piawai.
A 9.56×10^6 C 9.56×10^{-6}
B 9.56×10^5 D 9.56×10^{-5}
- 24 Express 93 824.4 in standard form.
Nyatakan 93 824.4 dalam bentuk piawai.
A 93.8244×10^5 C 9.38244×10^4
B 93.8244×10^{-5} D 9.38244×10^{-4}
- 25 Express 9.181×10^{-5} as a single number.
Nyatakan 9.181×10^{-5} sebagai satu nombor tunggal.
A 0.009181 C 0.00009181
B 0.0009181 D 0.000009181
- 26 Express 0.00000487 in standard form.
Nyatakan 0.00000487 dalam bentuk piawai.
A 4.87×10^{-6} C 48.7×10^{-7}
B 4.87×10^6 D 48.7×10^7
- 27 $\frac{7.1 \times 10}{10} =$
A 7.1×10^1 C 7.1×10^{-1}
B 7.1×10^0 D 7.1×10^{-2}

- 28 Nagapan has 235 kg of sugar. She uses 20% of the sugar to bake cakes. The remainder of the sugar is divided equally into 2 bags. Find the mass, in g, of sugar in each bag.
Nagapan mempunyai 235 kg gula. Dia menggunakan 20% daripada gula itu untuk membuat kek. Baki gula dibahagikan sama banyak ke dalam 2 beg. Cari jisim, dalam g, gula dalam setiap beg itu.
- A 9.4×10^4 C 2.4×10^4
B 9.4×10^3 D 2.4×10^3

- 29 $4.04 \times 10^{-15} - 3.8 \times 10^{-17} =$
- A 4.002×10^{-14} C 4.078×10^{-14}
B 4.002×10^{-15} D 4.078×10^{-15}

- 30 Diagram 1 is a cubic metal block with the side length of 10 m and density of 5 532 kg m⁻³.
Rajah 1 ialah sebuah blok logam yang berbentuk kubus dengan panjang sisi 10 m dan ketumpatan 5 532 kg m⁻³.




Diagram 1
Rajah 1

The metal block is melted and makes into small cubes. Each small cube weighs 0.6 g. Find the number of small cubes produced.
Blok logam itu dileburkan dan dibuat kubus kecil. Setiap kubus kecil berjisim 0.6 g. Cari bilangan kubus kecil yang dihasilkan.

- A 9.220×10^6 C 9.220×10
B 9.220×10^4 D 9.22×10^9
- 31 $\frac{0.013}{(5 \times 10^3)^2} =$
- A 5.2×10^{-10} C 5.2×10^{-8}
B 2.6×10^{-10} D 2.6×10^{-8}
- 32 $\frac{3.96 \times 10^{-3}}{(6 \times 10^{-8})^2} =$
- A 6.6×10^{12} C 1.1×10^{12}
B 6.6×10^{-19} D 1.1×10^{-19}

- 33 $\frac{8\,900\,000}{0.004} =$
- A 2.225×10^9 C 2.225×10^{-9}
B 2.225×10^{10} D 2.225×10^{-10}

- 34 Diagram 2 is a rectangular empty tank with length 600 cm, width 1 000 cm and height 900 cm.
Rajah 2 ialah sebuah tangki kosong bersegi empat tepat dengan panjang 600 cm, lebar 1 000 cm, dan tinggi 900 cm.




Diagram 2
Rajah 2

If 75% of tank is filled up with water, calculate the volume, in m³, of water in the tank.

Jika 75% daripada tangki itu diisi dengan air, hitung isipadu air, dalam m³, dalam tangki itu.

- A 4.05×10^3 C 1.35×10^3
B 4.05×10^2 D 1.35×10^2
- 35 $8.5 \times 10^8 \div 0.00068 =$
- A 1.25×10^{12} C 5.78×10^{13}
B 1.25×10^4 D 5.78×10^5
- 36 $9.8 \times 10^{14} + 3.6 \times 10^{16} =$
- A 3.798×10^{17} C 3.698×10^{17}
B 3.798×10^{16} D 3.698×10^{16}
- 37 Given that $0.0000000052 = p \times 10^q$, where $p \times 10^q$ is a number in standard form. What is the value of p and q ?
Diberi bahawa $0.0000000052 = p \times 10^q$, dengan keadaan $p \times 10^q$ adalah nombor dalam bentuk piawai. Apakah nilai p dan nilai q ?
- A $p = 5.2, q = -9$
B $p = 52, q = 10$
C $p = 5.2, q = 9$
D $p = 52, q = -10$

- 38** A rectangular floor of a school hall has a length of 44 m and a width of 24 m. Square tiles with length 40 cm is used to cover the floor. Calculate the number of tiles required to cover the floor completely.

Suatu lantai dewan sekolah yang bersegi empat tepat mempunyai panjang 44 m dan lebar 24 m. Jubin bersegi empat sama dengan panjang 40 cm digunakan untuk menutup lantai itu. Hitung bilangan keping jubin yang perlu digunakan untuk menutup seluruh lantai sama sekali.

- A** 6.6×10^5 **C** 2.64×10^7
B 6.6×10^3 **D** 2.64×10^5

- 39** $0.0096 - 5 \times 10^{-3} =$

- A** 9.1×10^{-4} **C** 4.6×10^{-4}
B 9.1×10^{-3} **D** 4.6×10^{-3}

- 40** $0.0000067 - 4.5 \times 10^{-8} =$

- A** 2.2×10^{-6} **C** 6.655×10^{-6}
B 2.2×10^{-8} **D** 6.655×10^{-8}

- 41** The total population of a country *M* in the year 2011 is 14.86 million. It is given that the number of people who are 60 years old and above is 2.0% of the total population.

Calculate the number of people who are below 60 years old.

[1 million = 10^6]

Jumlah populasi sebuah negara M dalam tahun 2011 ialah 14.86 juta. Diberi bahawa bilangan orang yang berumur 60 tahun dan ke atas adalah 2.0% daripada jumlah populasi. Hitung bilangan orang yang berumur di bawah 60 tahun.

[1 juta = 10^6]

- A** 2.97×10^7 **C** 1.46×10^7
B 2.97×10^5 **D** 1.46×10^5

- 42** $(3.2 \times 10^2) \times (2.8 \times 10^{-3}) =$

- A** 8.96×10^{-1} **C** 9.06×10^{-1}
B 8.96×10^{-2} **D** 9.06×10^{-2}

- 43** $\frac{0.034}{2.0 \times 10^6} =$

- A** 1.7×10^{-10} **C** 1.7×10^{-8}
B 1.7×10^{-9} **D** 1.7×10^{-6}

- 44** $\frac{7.8 \times 10^1}{0.624} =$

- A** 1.25×10^1 **C** 1.25×10^3
B 1.25×10^2 **D** 1.25×10^4

- 45** Diagram 3 is a shape of a trapezium.

Rajah 3 ialah sebuah bentuk trapezium.




Diagram 3
Rajah 3

If the area of the trapezium is 19.04 km^3 , the value of *c* is

*Jika luas trapezium ialah 19.04 km^3 , nilai bagi *c* ialah*

- A** 5.95×10^2 **C** 1.19×10^4
B 5.95×10 **D** 1.19×10^3

JAWAPAN

INDICES

BAHAGIAN 1

1. $9^9 = 9 \times 9 \times 9 \times 9 \times 9 \times 9 \times 9 \times 9 \times 9$

2. $9^7 = 9 \times 9 \times 9 \times 9 \times 9 \times 9 \times 9$

3.
$$\frac{1}{1024}$$

$$= \frac{1}{4} \times \frac{1}{4} \times \frac{1}{4} \times \frac{1}{4} \times \frac{1}{4}$$

$$= \left(\frac{1}{4}\right)^5$$

4. $8 \times 8^{n+1} = 8^6 \times 8^3$
 $8^{n+1+1} = 8^{6+3}$
 $8^{n+2} = 8^9$

$\therefore n + 2 = 9$
 $n = 9 - 2$
 $n = 7$

5. $8c^3 \times 6c \times c^8 \times 2c^2$
 $= (8 \times 6 \times 1 \times 2) \times (c^3 \times c \times c^8 \times c^2)$
 $= 96 \times c^{3+1+8+2}$
 $= 96 \times c^{14}$
 $= 96c^{14}$

6. $x^3 \times 7y \times 5x^7 \times 2y^2$
 $= (1 \times 7 \times 5 \times 2) \times (x^3 \times x^7) \times (y \times y^2)$
 $= 70 \times x^{3+7} \times y^{1+2}$
 $= 70x^{10}y^3$

7. $3^5 \div 3^2$
 $= 3^{5-2}$
 $= 3^3$

8. $\frac{10d^{18}}{5d^8}$
 $= \frac{10}{5} \times \frac{d^{18}}{d^8}$
 $= 2 \times d^{18-8}$
 $= 2d^{10}$

9. $8m^{18}n^{16} \div 20m^2n^4$
 $= \frac{8m^{18}n^{16}}{20m^2n^4}$
 $= \frac{8}{20} \times \frac{m^{18}}{m^2} \times \frac{n^{16}}{n^4}$
 $= \frac{2}{5} \times m^{18-2} \times n^{16-4}$
 $= \frac{2}{5}m^{16}n^{12}$

10. $(5s^3t)^5 \div 5s^4t$
 $= \frac{(5s^3t)^5}{5s^4t}$
 $= \frac{3125s^{15}t^5}{5s^4t}$
 $= 625 \times \frac{s^{15}}{s^4} \times \frac{t^5}{t}$
 $= 625 \times s^{15-4} \times t^{5-1}$
 $= 625s^{11}t^4$

11. $(8^5)^4 \times (8^3)^3 \div (8^3)^5$
 $= 8^{20} \times 8^9 \div 8^{15}$
 $= 8^{20+9-15}$
 $= 8^{14}$

12. $\left(\frac{1}{5}\right)^{-2}$
 $= \frac{1}{\left(\frac{1}{5}\right)^2}$
 $= \frac{1}{\frac{1}{25}}$
 $= 25$

13. $\frac{8s^{-1}t^3}{2s^2t^{-1}}$
 $= \frac{8}{2} \times \frac{s^{-1}}{s^2} \times \frac{t^3}{t^{-1}}$
 $= 4 \times s^{-1-2} \times t^{3-(-1)}$
 $= 4s^{-3}t^4$
 $= \frac{4t^4}{s^3}$

14. $4^5 \times (5^9)^4 \times 4^{-6} \times (5^{-5})^8$
 $= 4^5 \times 5^{36} \times 4^{-6} \times 5^{-40}$
 $= (4^5 \times 4^{-6}) \times (5^{36} \times 5^{-40})$
 $= 4^{-1} \times 5^{-4}$
 $= \frac{1}{2500}$

15. $\frac{1}{16^2} \times \frac{3}{32^5}$
 $= (4^2)^2 \times (2^5)^5$
 $= 4^4 \times 2^5$

$= 4 \times 2^3$
 $= 4 \times 8$
 $= 32$

16. $(27x^9y^{12})^3 \times (4x^9y^9)$
 $= (3^3)^3 \times (x^9)^3 \times (y^{12})^3 \times 4 \times x^9 \times y^9$
 $= 3^2 \times x^6 \times y^8 \times 4 \times x^9 \times y^9$
 $= (9 \times 4) \times (x^6 \times x^9) \times (y^8 \times y^9)$
 $= 36 \times x^{6+9} \times y^{8+9}$
 $= 36x^{15}y^{17}$

17. $\frac{1}{4^3} \times \frac{1}{1024^3}$
 $= \frac{1}{16^2}$

$$\begin{aligned} & \frac{1}{4^3} \times (4^5)^{\frac{1}{3}} \\ &= \frac{1}{(4^2)^2} \\ & \frac{1}{4^3} \times \frac{5}{4^3} \\ &= \frac{4}{4^3 + \frac{5}{3}} \\ &= \frac{4}{4^2} \\ &= \frac{4}{4} \\ &= \frac{16}{4} \\ &= 4 \end{aligned}$$

18. $3^5 \times 5^5 \times 3^5 \times 5^{-\frac{4}{5}}$

$$\begin{aligned} &= \left(3^{\frac{1}{5} + \frac{4}{5}}\right) \times \left(5^{\frac{4}{5} + \left(-\frac{4}{5}\right)}\right) \\ &= 3 \times 5^0 \\ &= 3 \end{aligned}$$

19. $1024^{\frac{1}{5}}$

$$\begin{aligned} &= \frac{1}{4^{-5} \times 16^2} \\ &= \frac{1}{(4^5)^5} \\ &= \frac{1}{4^{-5} \times (4^2)^2} \\ &= \frac{4}{4^{-5} \times 4} \\ &= 4^{1 - (-5) - 1} \\ &= 4^5 \\ &= 1024 \end{aligned}$$

20. $5^3 \times 25^{\frac{1}{3}}$

$$\begin{aligned} &= \frac{1}{625^{\frac{1}{3}}} \\ & \frac{1}{5^3} \times (5^2)^{\frac{1}{3}} \\ &= \frac{1}{(5^4)^{\frac{1}{3}}} \\ & \frac{1}{5^3} \times \frac{2}{5^3} \\ &= \frac{5^3}{5^3 + \frac{2}{3}} \\ &= \frac{1}{5^3} \end{aligned}$$

$$\begin{aligned} &= \frac{5}{5^3} \\ &= \frac{5}{125} \\ &= \frac{1}{25} \end{aligned}$$

21. $4^2 \times 2^3 \times 4^2 \times 2^{-\frac{1}{3}}$

$$\begin{aligned} &= \left(4^{\frac{3}{2} + \frac{1}{2}}\right) \times \left(2^{\frac{1}{2} + \left(-\frac{1}{3}\right)}\right) \\ &= 4^2 \times 2^0 \\ &= 16 \end{aligned}$$

22. $\frac{\frac{2}{27^3}}{3^{-2} \times 243^5}$

$$\begin{aligned} &= \frac{2}{(3^3)^3} \\ &= \frac{2}{3^{-2} \times (3^5)^5} \\ &= \frac{3^2}{3^{-2} \times 3^2} \\ &= 3^{2 - (-2) - 2} \\ &= 3^2 \\ &= 9 \end{aligned}$$

23. (a) $\left(t^{\frac{3}{4}}\right)^{16}$

$$= t^4$$

(b) $y^4 \times (x^5 y^5)^4$

$$\begin{aligned} &= y^4 \times x^{20} y^{20} \\ &= y^{4+20} \times x^{20} \\ &= y^{24} x^{20} \end{aligned}$$

24. (a) $\left(s^{\frac{2}{4}}\right)^8$

$$= s^2$$

(b) $n^5 \times (m^4 n^3)^5$

$$\begin{aligned} &= n^5 \times m^{20} n^{15} \\ &= n^{5+15} \times m^{20} \\ &= n^{20} m^{20} \end{aligned}$$

25. (a) $\left(q^{\frac{3}{5}}\right)^{20}$

$$= q^4$$

(b) $y^4 \times (x^3 y^2)^3$

$$\begin{aligned} &= y^4 \times x^9 y^6 \\ &= y^{4+6} \times x^9 \\ &= y^{10} x^9 \end{aligned}$$

26. $9^2 \times 3^{-1} \times 9^2$

$$\begin{aligned} &= (3^2)^2 \times 3^{-1} \times (3^2)^2 \\ &= 3^4 \times 3^{-1} \times 3^4 \\ &= 3^4 \\ &= 81 \end{aligned}$$

27. (a) $(n^3)^{-4}$

$$= n^{3 \times -4}$$

$$= n^{-12}$$

$$= \frac{1}{n^{12}}$$

(b) $\frac{1}{n^5} \times n^{\frac{4}{5}}$

$$\frac{n^{\frac{4}{5}}}{n^5}$$

$$= n^{\frac{4}{5} - 5}$$

$$= n^{-\frac{21}{5}}$$

$$= \frac{1}{n^{\frac{21}{5}}}$$

28. (a) $(n^4)^2$

$$= n^{4 \times 2}$$

$$= n^8$$

(b) $\frac{1}{q^2} \times q^{\frac{1}{2}}$

$$\frac{q^{\frac{1}{2}}}{q^2}$$

$$= q^{\frac{1}{2} - 2}$$

$$= q^{-\frac{3}{2}}$$

$$= \frac{1}{q^{\frac{3}{2}}}$$

29. $5^{\frac{3}{2}} \times 15^{\frac{3}{2}} \div 3^{\frac{1}{2}}$

$$= 5^{\frac{3}{2}} \times (5 \times 3)^{\frac{3}{2}} \div 3^{\frac{1}{2}}$$

$$= 5^{\frac{3}{2}} \times 5^{\frac{3}{2}} \times 3^{\frac{3}{2}} \div 3^{\frac{1}{2}}$$

$$= 5^{\frac{3}{2} + \frac{3}{2}} \times 3^{\frac{3}{2} - \frac{1}{2}}$$

$$= 5^3 \times 3^1$$

$$= 125 \times 3$$

$$= 375$$

30. (a) $x^{-3} \times x^{-4}$

$$= x^{(-3) + (-4)}$$

$$= x^{-7}$$

(b) $\frac{243^3}{3^{-4} \times 3^2}$

$$= \frac{(3^5)^3}{3^{(-4) + 2}}$$

$$= \frac{3^{15}}{3^{-2}}$$

$$= 3^{17}$$

31. (a) $q^{-2} \times q^{-5}$

$$= q^{(-2) + (-5)}$$

$$= q^{-7}$$

(b) $\frac{4^2}{2^{-5} \times 2^{-1}}$

$$= \frac{(2^2)^2}{2^{(-5) + (-1)}}$$

$$= \frac{2^4}{2^{-6}}$$

$$= 2^{10}$$

32. $(\frac{1}{6})^2 \div \sqrt[3]{\frac{1}{8}}$

$$= \frac{1}{36} \div \sqrt[3]{\frac{1}{8}}$$

$$= \frac{1}{36} \div \frac{1}{2}$$

$$= \frac{1}{18}$$

33. $(\frac{1}{4})^2 \div \sqrt[3]{\frac{1}{64}}$

$$= \frac{1}{16} \div \sqrt[3]{\frac{1}{64}}$$

$$= \frac{1}{16} \div \frac{1}{4}$$

$$= \frac{1}{4}$$

34. (a) $(m^{\frac{1}{2}} n^{\frac{1}{4}})^2 \times m^5 n^{\frac{1}{3}}$

$$= m^1 n^{\frac{1}{2}} \times m^5 n^{\frac{1}{3}}$$

$$= m^{1+5} n^{\frac{1}{2} + \frac{1}{3}}$$

$$= m^6 n^{\frac{5}{6}}$$

(b) $(\frac{1}{125})^{\frac{3}{5}}$

$$= 125$$

35. (a) $(s^{\frac{1}{4}} t^{\frac{1}{2}})^4 \times s^3 t^{\frac{1}{3}}$

$$= s^1 t^2 \times s^3 t^{\frac{1}{3}}$$

$$= s^{1+3} t^{2 + \frac{1}{3}}$$

$$= s^4 t^{\frac{7}{3}}$$

(b) $(\frac{1}{8})^{\frac{1}{2}}$

$$= 2$$

BAHAGIAN 2

- | | | | | |
|------|------|------|------|------|
| 1 B | 2 B | 3 C | 4 D | 5 A |
| 6 C | 7 D | 8 C | 9 B | 10 A |
| 11 A | 12 A | 13 A | 14 B | 15 B |
| 16 B | 17 B | 18 B | 19 A | 20 C |
| 21 C | 22 C | 23 B | 24 C | 25 B |
| 26 A | 27 D | 28 D | 29 B | 30 B |
| 31 C | 32 C | 33 B | 34 C | 35 A |
| 36 D | 37 A | 38 A | 39 C | 40 C |

STANDARD FORM

BAHAGIAN 1

- 1** $0.3184 = 0.3$
(correct to one significant figure)
(betul kepada satu angka bererti)
- 2** $702.9 - 4.779 + 867.5$
 $= 1\,565.621$
 $= 1\,565.62$
(correct to six significant figures)
(betul kepada enam angka bererti)
- 3** $71.78 + 662 - 0.0835$
 $= 733.6965$
 $= 733.70$
(correct to five significant figures)
(betul kepada lima angka bererti)
- 4** $85.7 - 59.69 - 0.5185$
 $= 25.4915$
 $= 25.5$
(correct to three significant figures)
(betul kepada tiga angka bererti)
- 5** 7.447×10^3
 $= 7.447 \times 1\,000$
 $= 7\,447$
- 6** 55.091
 $= 5.5091 \times 10$
- 7** $874.3 + 9.884 + 8.002$
 $= 892.186$
 $= 900$
(correct to one significant figure)
(betul kepada satu angka bererti)
- 8** 40.501×10^{11}
 $= 4.0501 \times 10 \times 10^{11}$
 $= 4.0501 \times 10^{1+11}$
 $= 4.0501 \times 10^{12}$
- 9** $54.4 \times 43.7 \times 0.78$
 $= 1\,854.2784$
 $= 2\,000$
(correct to one significant figure)
(betul kepada satu angka bererti)
- 10** $1.176 \times 6.797 \div 0.00294$
 $= 2\,718.8$
 $= 2\,700$
(correct to two significant figures)

(betul kepada dua angka bererti)

- 11** $7.99 \times 10^{-15} - 7.9 \times 10^{-16}$
 $= 7.99 \times 10^{-15} - 7.9 \times 10^{-1} \times 10^{-15}$
 $= 7.99 \times 10^{-15} - 0.79 \times 10^{-15}$
 $= (7.99 - 0.79) \times 10^{-15}$
 $= 7.2 \times 10^{-15}$
- 12** $(7.4 \times 10^{-13}) \times (8.6 \times 10^{-11})$
 $= (7.4 \times 8.6) \times (10^{-13} \times 10^{-11})$
 $= 63.64 \times 10^{-24}$
 $= 6.364 \times 10^1 \times 10^{-24}$
 $= 6.364 \times 10^{-23}$
- 13** $150.1 \div 475 \div 987.5$
 $= 0.00032$
 $= 0.0003$
(correct to one significant figure)
(betul kepada satu angka bererti)
- 14** $0.8828 \div 0.061 \times 585.6$
 $= 8\,474.88$
 $= 8\,474.9$
(correct to five significant figures)
(betul kepada lima angka bererti)
- 15** $9.68 \times 10^{-13} + 4.7 \times 10^{-14}$
 $= 9.68 \times 10^{-13} + 4.7 \times 10^{-1} \times 10^{-13}$
 $= 9.68 \times 10^{-13} + 0.47 \times 10^{-13}$
 $= (9.68 + 0.47) \times 10^{-13}$
 $= 1.015 \times 10^{-12}$
- 16** $\frac{6.12 \times 10^{-3}}{1.8 \times 10^{-9}}$
 $= \frac{6.12}{1.8} \times \frac{10^{-3}}{10^{-9}}$
 $= 3.4 \times 10^6$

BAHAGIAN 2

- | | | | | |
|-------------|-------------|-------------|-------------|-------------|
| 1 C | 2 D | 3 C | 4 A | 5 C |
| 6 B | 7 D | 8 D | 9 A | 10 D |
| 11 A | 12 D | 13 C | 14 B | 15 A |
| 16 D | 17 D | 18 B | 19 B | 20 C |
| 21 C | 22 B | 23 B | 24 C | 25 C |
| 26 A | 27 B | 28 A | 29 B | 30 D |
| 31 A | 32 C | 33 A | 34 B | 35 A |
| 36 D | 37 A | 38 B | 39 D | 40 C |
| 41 C | 42 A | 43 C | 44 B | 45 C |

Anak Masih Lemah, Tak Minat & Tak Fokus Dalam Matematik?

Biar Maths Catch Bantu



Klik sini

www.mathscatch.com